


European Association  
for the Development of  
Renewable Energy,  
Environment and  
Power Quality


# RE&PQJ-4

## RENEWABLE ENERGY & POWER QUALITY JOURNAL

No.4, April 2006

ISSN 2172-038X




**RE&PQJ-4 EDITORIAL COMMITTEE**


Manuel Pérez Donsión (Main Editor)  
 Ramón Bargalló Perpiña  
 Mariano Sanz Badía

**RE&PQJ-4 SCIENTIFIC COMMITTEE**


---

Almeida do Vale, A. (Portugal)  
 Alonso Rodríguez, A. (Spain)  
 Arcega Solsona, F. (Spain)  
 Belmans, R. (Belgium)  
 Bendl, Jiri (Czech Republic)  
 Capolino, G.A. (France)  
 Cavallé Sesé, F. (Spain)  
 Conejo Navarro, A. (Spain)  
 Eguiluz Moran, L.I. (Spain)  
 Ertan, H.B. (Turkey)  
 Fernández Cabanas, M. (Spain)  
 Fraile Mora, Jesús (Spain)  
 Göll, Ozdemir (Australia)  
 Jack, A.G. (UK)  
 Jokinen, T. (Finland)  
 Kladas, A. (Greece)  
 Leao Rodrigues, (Portugal)  
 Lemos Antunes, C. (Portugal)  
 Levi, Emil (U.K.)  
 Llaverias Sanmarti, J. (Spain)  
 Machado e Moura, A. (Portugal)  
 Petkovska, L. (Macedonia)  
 Saadate, S. (France)  
 Sanjurjo Navarro, R. (Spain)  
 Sanz Badía, M. (Spain)  
 Serrano Iribarnegaray, L. (Spain)  
 Tegopoulos, J.A. (Greece)  
 Traça de Almeida, A. (Portugal)  
 Wiak, Slawomir (Poland)  
 Wilhelmi Ayza, J.R. (Spain)  
 Zamora Belver, I (Spain)

---



The following papers have been included in the  
**Renewable Energy & Power Quality Journal**  
 No.4, April 2006

**Titles/Authors**

**201 Review of the islanding phenomenon problem for connection of renewable energy systems.**

Hector Beltran, Francisco Gimeno, Salvador Seguí-Chilet and Jose M. Torreló

**206 Analytical investigation of induction motor drive under DC-link voltage ripple in voltage source inverter.**

J. Klima

**214 Optimization of a wind turbine using permanent magnet synchronous generator (PMSG).**

Jan Vergauwe, André Martinez, Alberto Ribas.

**215 An improved technique for the estimation of local frequency, fundamental component phasor and instantaneous symmetrical components.**

José C. Ferreira, António P. Martins

**217 Effects of the circulating sheath currents in the magnetic field generated by an underground power line.**

J.R. Riba Ruiz, X. Alabern Morera

**220 Power control of a variable speed wind turbine driving an DFIG.**

D. Aouzellag, K. Ghedamsi, E.M. Berkouk

**221 Modelling of clustered distributed generation for economic requirements.**

M. Neubert, G. Balzer

**223 The polymer electrolyte membrane fuel cell as electric energy source, steady state and dynamic behavior**

R. A. Costa, J. R. Camacho, S. C. Guimarães Jr., and C. H. Salerno

**226 Cogeneration in electrical microgrids.**

I. Zamora, J.I. San Martín, A.J. Mazón, J.J. San Martín, V. Aperribay, J.M<sup>a</sup>. Arrieta


**229 Robust converter synchronization to a weak grid through a DFT-based Method.**

António P. Martins, José C. Ferreira

**231 The influence of renewables and international trade on investment decisions in the grid of the future.**

S. Cole, D. Van Hertem, L. Meeus, R. Belmans





**236 Variable speed turbine based wind farm including storage system connected to a power grid or islanded.**

A. Davigny, B. Robyns

**241 Low-cost orientation system for a concentrating solar collector with static reflector and tracking receiver**

V. Martinez, B. Alorda, A. Moia, R. Pujol

**242 Sea energy conversion: Problems and possibilities.**

G. Buigues, I. Zamora, A.J. Mazón, V. Valverde, F.J. Pérez

**245 FACTS devices in distributed generation.**

Melchor Gómez, Oihane Abarrategui, Inmaculada Zamora

**248 Multiobjective H2/H control of a pitch regulated wind turbine for mechanical load reduction.**

Fabien Lescher, Jing Yun Zhao, André Martinez

**250 Evaluation of the renewable energy application in Mediterranean hotels: Case study the Balearic Islands' hotels.**

A. Moià-Pol, Michalis Karagiorgas, V. Martínez-Moll, R.Pujol, Carles Riba-Romeva

**251 Power quality improvement of wind turbines using doubly-fed induction machines.**

C. Saniter, R. Grune, A. Wood, R. Hanitsch

**253 Effect of using external vertical fins in phase change material modules for domestic hot water tanks.**

Albert Castell, Cristian Solé, Marc Medrano, Joan Roca, Daniel García, Luisa F. Cabeza.

**256 Insulator pollution in transmission lines.**

José A. Ramos Hernanz, José J. Campayo Martín, Joseba Motrico Gogeochea, Inmaculada Zamora Belver

**257 Prediction of the thermal behaviour of an office building using TRNSYS with proposal and evaluation of improvement actions.**

R. Pujol-Nadal, V. Martínez-Moll, A. Moià-Pol

**262 Effect on power quality of the high power electric traction (Double domain computer simulation vs. site measurements).**


András Dán , Péter Kiss

**264 Power market: effects of the imperfect competition.**

Carlos Redondo Gil, Ana M. Alonso Sánchez, Luis A. Esquibel Tomillo, Álvaro Fernández Suárez.

**267 ATP prediction of voltage sag effect on sensitive loads.**

J. Cardona, J. Barros



**270 DSP filter design for flexible alternating current transmission systems.**

O. Abarrategui Ranero, M. Gómez Perez, D.M. Larruskain Eskobal

**271 Competition at an energy open market in the EU and its consequences on the renewable energy segment.**

O. Abarrategui Ranero, D.M. Larruskain Eskobal, M. Gómez Perez

**273 Using ultracapacitors in photovoltaic systems. A technical proposal.**

José Antonio Domínguez Vázquez, Fernando Martínez Rodrigo, José Miguel Ruiz, Santiago Lorenzo Matilla

**274 Optimum PI controllers of active power filters for harmonic voltage mitigation in multibus industrial power systems.**

Josef Tlustý, Viktor Valouch

**276 Interharmonics injected into power system by a squirrel-cage induction machine in normal and faulty operation conditions.**

Jan Rusek

**277 Setting up a grid simulator.**

A. Notholt, D. Coll-mayor, A. Engler

**279 Speed control of run-of-river variable speed hydro plants.**

J. Fraile-Ardanuy, J.R. Wilhelmi, J. Fraile-Mora, J.I. Pérez, I. Sarasua

**280 Micro-grid powered by photovoltaic and micro turbine.**

Ph. Degobert, S.Kreuawan, X. Guillaud

**282 A little plant of reverse osmosis fed by an isolated electrical system.**

A. Pulido, N. Angulo, J. Romero, C. Quintana, M. Morán

**285 Comparison of energy potential of the eucalyptus globulus and the eucalyptus nitens.**

S. Pérez, C.J. Renedo, A. Ortiz, M. Mañana, D. Silió, J. Peredo

**287 Power quality measurement of MV distribution system after connection of small power plant Jakusevec.**

Mate Lasic, Marko Sporec, Irena Klaric

**292 Analysis of state of MV distribution system before and after connection of small wind farm Ravna1**


Toni Dropulic, Mate Lasic, Jandro Simic

**293 Technique-economical viability of repowering of small hydroelectric power plant considering the social insert and environmental preservation.**

Oscar A. Maldonado, Paulo A. Panuncio, Dinara F. Silva, José Luz Silveira

**295 Short-term prediction of the power generation of wind turbines.**

A. Székely, T. Barbarics

**296 Power transmission capacity upgrade for overhead lines.**

D.M. Larruskain, I. Zamora, O. Abarrategui, A. Iraolagoitia, M.D. Gutiérrez, E. Loroño, F. de la Bodega

**297 Comparison of the effect of output filters on the total harmonic distortion of line current in voltage source line converter - simulation study.**

Pasi Peltoniemi, Riku Pöllänen, Markku Niemelä, Juha Pyrhönen

**299 Gas based steady state analysis of parallel-operated three phase self-excited induction generators**

A.I. Alolah, M.A. Alkanhal

**400 The impact of induction generator and PWM inverter with energy storage on weak grids.**

H. Bludszuweit, J. A. Domínguez, M. García

**401 Pre-feasibility study of a grid connected wind-PV hybrid system with energy storage and power prediction.**

Hans Bludszuweit, José Antonio Domínguez, José Luis Bernal

**403 Influence of wind generator in voltage dips.**

E. Belenguer, N. Aparicio, J.L. Gandía, S. Añó

**405 A performance comparison between brush and brushless doubly fed asynchronous generators for wind power systems.**

R. Carlson, H. Voltolini, F. Runcos, P. Kuo-Peng

**408 Orthogonal decomposition of currents, power definitions and energy transmission in three-phase systems treated in the time domain.**

Gorazd Štumberger, Boštjan Polajžer, Matej Toman, Drago Dolinar

**410 Field experiences in power quality problem solving in Spain.**

Z. Larrabe, J.M. López, G. Rojas

**411 The influence of harmonics from non-linear loads in the measuring transformers of electrical substations.**

Oscar Armando Maldonado Astorga, José Luz Silveira, Julio Carlos Damato

**416 A simplified electrical model of small PEM fuel cell.**

E. Andrea, M. Mañana, A. Ortiz, C. Renedo, L.I. Eguíluz, S. Pére, F. Delgado

**418 Implementation of a voltage sag characterization based on a DSP platform.**

A. Ortiz, M. Mañana, F. Ortiz, C. J. Renedo, F. Delgado, L.I. Eguiluz

**426 Study of an ordinary home electrical consumption in order to make it more energy-efficient.**

António Manuel L. Quadros Flores

**427 High energy efficiency test system for induction heating generators.**

V. Esteve, J. Jordán, E.J. Dede, E. Sanchis-Kilders, E. Maset

**430 Performance analysis of wind resource assessment programs in complex terrain.**

A. Lombart, A. Talayero, A. Mallet, A. Pera, E. Telmo

**431 Hysteresis controller based on a circular error area table applied to a variable speed renewable energy system.**

J. F. Sanz, J. Sallán, M.A. Alonso, M. Sanz, J. L. Villa

**432 Development of a low-harmonic vector hysteresis current controller.**

J. F. Sanz, J. Sallán, M. Alonso, M. Sanz, J. L. Villa

**435 Analysis by finite element method of the crosstalk errors associated to the geometrical parameters for current transducers.**

F.J. Arcega, J.S. Artal; J. Letosa, A. Usón

**439 Project and current energy situation in the Basque Country**

E. Zulueta, L. Gutierrez, I. Manero

**442 Analysis of the power production of a wind farm with consumption associated for desalted water for agriculture, in Gran Canaria.**

A. Pulido, N. Angulo, J. Romero, C. Quintana, L. Darias

**444 Fault tolerant shunt active power filter: topology reconfiguration using optimised fault detection algorithm.**

H. El Brouji, P. Poure, M.C. Benhabib, S. Saadate

**445 Comparative efficiency of switched reluctance and induction motor drives for slowly varying loads.**

P. Andrada, B. Blanqué, J.I. Perat, M. Torrent, E. Martinez, J.A. Sánchez

**447 Legislative tendency to incorporate renewable energy in the Spanish Electric Power Production Market.**

Mabel Gámez, Ricard Bosch

**449 Mathematical approach to THD optimisation in multilevel convertors.**


A. Jan Iwaszkiewicz, B. Jacek Perz

**452 3D unsteady flow simulation in an OWC wave converter plant**

A. El Marjani, F. Castro, M. Bahaji, B. Filali

**455 Optimisation of renewable energy system.**

K. Mitchell, M. Nagrial, J. Rizk



**463 A dynamic model based on a network of magnetically coupled reluctances for asynchronous motor fault analysis.**

F. Pedrayes, C.H. Rojas, M.F. Cabanas, M.G. Melero, G.A. Orcajo, J.M. Cano

**466 A three-phase grid-connected inverter for photovoltaic applications using fuzzy MPPT.**

Jaime Alonso-Martínez, Santiago Arnaltes

**469 Energy management of stand-alone power systems with renewable energy sources.**

S. D'Arco, R. Rizzo, D. Coll-Mayor, P. Tricoli

**470 Torque fluctuation and critical clearing time in wind power generation by induction machines.**

Luigi Piegari, Renato Rizzo, Debora Coll-Mayor

**473 Frontier methodology to fix quality goals in electrical energy distribution companies.**

R. Ramirez, A. Sudrià, A. Sumper, J. Bergas, R. Villafàfila

**475 Influence of the power quality instrument class on the accurate of the PQ measurement.**

Manuel Pérez-Donsión, Santiago Álvarez-Lorenzo

**480 A future micro-grid implementation based on renewable distributed resources for a clean green energy production.**

F. Marín, A.B. Rey, A. Guerrero, F. de A. Ruz

**483 Internalisation of externalities in the Spanish power generation sector. Impact of the national plan of allocation of emissions in the cost of generation.**

F. Delgado, A. Ortiz, C.J. Renedo, M. Mañana, F. Ortiz, L.I. Eguiluz

**485 Preliminary steady state and dynamic analysis of a microgrid system**

A. Madureira, C. Moreira, J. Peças Lopes

**488 Optimization of photovoltaic solar electric power for renewable energy generation and DSM strategies in singular apartment buildings.**

J.C. Sáenz-Díez Muro, J.M. Blanco-Barrero, E. Jiménez-Macías, M. Pérez de la Parte, J.I. Latorre Biel

**490 SolAgua, a non static compound parabolic concentrator (CPC) for residential and service buildings.**

P. Gata Amaral, E. Ribeiro, R. Brites, F. Gaspar

**491 AEROSOL - a micro-scale domestic autonomous solar Photovoltaic and wind power generation unit in an urban environment.**

F.T. Oliveira, E. Ribeiro, P. Ferreira



